





چنانچه آنتیویروس با فایلی مواجه شود که از نظر آن ، ویروس تلقی شود ، با تصاویر زیر مواجه میشوید و فایل مشکوک ، Delete میشود:

اعتمادسازی هر فایل برای آنتیویروس ، سه مرحله دارد. مرحلهی نخست ، غیرفعال کردن موقتی آنتیویروس ؛ مرحلهی دوم ، بازیابی فایل پاک شده و مرحلهی سوم ، اعتمادسازی فایل برای آنتیویروس میباشد.

## ۱- غیرفعال کردن موقتی آنتیویروس:

برای غیرفعال کردن آنتیویروس ، بر روی Icon آنتیویروس در کنار ساعت کامپیوتر Right Click کنید و گزینهی Pause protection را انتخاب نمائید:



از شما مدت زمان غیرفعال ماندن آنتیویروس پرسیده خواهد شد که مانند تصویر زیر تعیین نمائید و بر روی دکمهی Pause protection کلیک کنید:

Kaspersky Internet Security		? – ×
~	Your protection is live now 4 recommendations Details	
	Pause protection — 🗆	×
	Pause protection @	
Scan	Pause for <u>30 minutes</u> ~     Pause until application restart     Pause	Safe Money
8	Pause protection Cancel	ø
Privacy Protection	Protection for kids	My Kaspersky
	More Tools	
0 0	Other produc	ts My Kaspersky License: 90 days remaining

بر روی دکمهی Continue کلیک نمائید:

Kaspersky Internet Security	Your protection is live now 4 recommendations	? - X
• Attenti	on!	×
kaspe	ersky	
	Are you sure that you want to pause protection? This action will reduce the protection of your computer.	
Sca	Do not prompt for confirmation during the next 30 minutes	e Money
Ŕ	Continue	· .
Privacy Protection	Protection for kids	My Kaspersky
	More Tools	
a 5	Other products My Karne	arthy License: 90 days remaining



از زیر مجموعههای قسمت Security ، بر روی Quarantine کلیک نمائید:



بر روی دکمهی More Tools در صفحهی نخست آنتیویروس کلیک کنید:

۲- بازیابی فایل پاک شدہ:





## ۳- اعتمادسازی فایل برای آنتیویروس:

اکنون برای اعتمادسازی ، طبق تصویر زیر ، بر روی نمادِ تنظیمات (Settings) کلیک نمائید:





در این قسمت دو عبارت دیده میشود. عبارت Manage exclusions و Specify trusted applications. از طریق هر دوی آنها باید فایل مورد نظر را به آنتیویروس معرفی کنیم. ابتدا از Manage exclusions شروع میکنیم:

0	Caspersky Internet Security	?	_	×
$\leftarrow$	Threats and Exclusions settings			
Ту	pes of detected objects			
De	tection of the following types of objects is enabled:			
0	<ul> <li>Viruses and worms</li> <li>Trojans (including ransomware) and malicious tools</li> <li>Advare and auto-dialers</li> </ul>			
c	Packed objects whose packing may be used to protect malicious code			
~	Detect other software that can be used by criminals to damage your computer or personal data For example, programs for remote control.			
Ex	clusions			
Ma Sp	a can do cacasaro una dised applications whose activity will not be controlled. anage exclusions ecify trusted applications			
Ad	dvanced Disinfection			
If t are	his check box is selected, a special procedure is applied for extensive disinfection against maliciou e running on the computer (Advanced Disinfection technology).	is prog	rams th	nat
~	Enable Advanced Disinfection technology			
	Advanced Disinfection requires considerable computer resources. Running Advanced Disinfection can slow down performance of the computer.	n the ov	erall	
Φ	Other products My Kaspersky Licen	se: 89 d	lays rema	aining

بر روی Manage exclusions کلیک کنید ؛ سپس بر روی دکمهی Add کلیک نمائید و مسیر فایل مورد نظر خود را که میخواهید اعتمادسازی کنید به آنتیویروس معرفی نمائید:

Exclusions			C	0
File or folder	Object	Protection components	Status	
	List	is empty.		
			×	

توجه فرمائید که اگر اعتمادسازی را انجام دهید و در آینده ، مکان فایل را تغییر دهید ، آن فایل برای آنتیویروس به عنوان یک فایل جدید محسوب خواهد شد و آنتیویروس دوباره به آن حمله خواهد کرد. بنابراین ، پیش از آنکه مسیر فایل را به آنتیویروس معرفی و اعتمادسازی کنید فایل را به مکان ثابتی منتقل کنید و سپس طبق تصویر زیر ، مسیر فایل را معرفی کنید:

Kas Type Detec	File or folder will not be scanned if the following conditions are met:	
<b>Type</b> Detec	File or folder will not be scanned if the following conditions are met:	
<b>Type</b> Detec		
Type Detec	File or folder:	
Detec	Browse	
0 V	Name or name mask of file or folder.	
• Т	Object:	
o A o P		
	Object name or name mask according to the Virus Encyclopedia (for example, EICAR-Test-File).	
Fe	Protection components:	
Evel	File Anti-Virus Veb Anti-Virus Scan	
You c	Mail Anti-Virus Application Control System Watcher	
Mana	Comment:	
Speci		
Adva	Status:	
If this	Active	that
are ru	Inactive	
E		
A A		
Þ (		main
	Add Cancel	
Ø	Evolutions — — X	
•		
Kas ←	Add Select file or folder to exclude from scanning - C X	
	File or Calast file on falsion to available from a	
	Select file or folder to exclude from (3)	
Type	scanning	
Detec	Name d Desktop	
° V	Object > This PC	
• TI • A	> & IranSetup	
o P.	Object > 🙀 Libraries	
D	Proter > III Network	
FC		
Exclu	Mi Grack	
You c	Comm	
Mana	nozilla Firefox	
open.		
Adva	Status	
If this are ru		that
✓ E	C:\Users\IranSetup\Uesktop\Crack.EXE	
Δ Α	Solart	
3 (	Select	main
	Add Cancel	main
0	Exclusions – 🗆 🗙	
- Kar	Add new exclusion (2)	
NdS	File or folder will not be scanned if the following conditions are met	
-	The of force will not be scanned in the following conditions are met.	
-	File or folder:	
Deter	C:\Users\IranSetup\Desktop\Crack.EXE Browse	
o V	Name or name mask of file or folder.	
o Ti	Object:	
o P		
<b>v</b> D	Ubject name or name mask according to the Virus Encyclopedia (for example, EICAR-Test-File).	
Fe	Verotection components: Verotection component: Verotection components: Verotection components: Verote	
Exclu	Mail Anti-Virus 🗹 Application Control 🔽 System Watcher	
You c	Comment	
Mana	Comment	
opeci		
Adva	Status:	
If this		that
are ru		
n	N N	
		main

C	Exclu									
Kas	←	Add new ex	clusion						0	
KdS		File or folder will	not be scan	ned if the fol	llowing conditions are m	iet:				
-		File or folder:								
Туре		C:\Users\IranSe	tup\Desktop	o\Crack.EXE	Browse					
Deter		Name or name mas	k of file or fold	der.						
о т о т		Objec () Attentio	n!				×			
• A • P		kaspe	rsky							
		Protec								
		M i 🚺	Your confi settings.	rmation is re	equired to edit applica	tion				
Exclı You c			-							
Mana		Comn		ompt for confir	mation during the part 30 mi	nutes				
Speci				omperior comm		indicis	_			
Adva		Ac			Continue	Cancel				
are ru		O Inactive								th
E										
P										
2 C										ma
					A d d		Ca			
					Add		Ca	ncel	-	
					Add		Ca	ncel		
	Exclu	isions			Add		Ca _		×	4
C	Exclu	isions Iusions			Add			C C	×	4
Kas	Exclu Exc	isions Iusions			Add			Cel C	× 3	4
Kas -	Exclu Excl File	isions Iusions e or folder		Object	Add Protection component	is s	— Status	cel Q	× 3	4
Kas - Type	Exclu Exc File CA	isions Iusions e or folder Users\tranSetup\Des	ktop\Crack	Object	Add Protection component All	is s	Ca — Status Active	Cel Q	× ⑦	
Kas - Type Detec	Exclu Exc File C:\	sions Iusions e or folder Users\IranSetup\De:	ktop\Crack	Object	Add Protection component All	is i	Ca — Status Active	C C	×	
Kas - Type Detec • V • T	Exclu Excl File CA	isions Iusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	is s	- Status Active	C C C	× ⑦	4
Kas - Detec o T o A o P	Exclu Exc File CA	sions Iusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	is 9	Ca — Status	ା ପ ସ୍	× 3	*
Kas - Detec ○ V ○ T ○ A ○ P ▼	Exclu Excl File CA	sions lusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	is s	Ca 		× 0	<b>*</b>
Kas − Type Detec • V • T • A • P ✓ Fi	Exclu Exc File CA	sions Iusions e or folder Users\\ranSetup\Des	ktop\Crack	Object	Add Protection component All	is S	Ca Status	Q Q	× 3	*
<ul> <li>€</li> <li>Kas</li> <li>−</li> <li>Type</li> <li>Detec</li> <li>∨</li> <li>∘ T</li> <li>∘ P</li> <li>P</li> <li>F</li> <li>Excli</li> </ul>	Exclu Exc File CA	isions Iusions e or folder Users\lranSetup\De:	ktop\Crack	Object	Add Protection component All	is s	Ca		×	
I Kas − Type Deter ° V ° T ° A ° P F Exclu You c Mana	Exclu Exc File Ca	tsions Iusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	is s	Ca — Status		× 0	
<ul> <li>Kas</li> <li>-</li> <li>Type</li> <li>Detec</li> <li>V</li> <li>T</li> <li>P</li> <li>Z</li> <li>C</li> <li>F</li> <li>Excli</li> <li>You c</li> <li>Mans</li> <li>Speci</li> </ul>	Exclu Exc File CA	isions lusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	s s	Ca		× 0	
Kas − Type Dete ° V ° T ° A ° P Excl You c Mans Spec Advz	Exclu Exc File CA	isions Iusions e or folder UJsers\IranSetup\Des	ktop\Crack	Object	Add Protection component All	s s	Ca Status		× •	
Kas − Type Oete • V • T • A • P F Exclu You c Mans Spec Adva If this	Exclu Exc File CA	sions Iusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	I	Ca		×	¢.
Kas − Type Oeter o V o T o A o P F Exclu You c Mans Speci Adva Aff this are n	Exclu Exc Fill CA	sions Iusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	s s	Ca		×	th
Kas Type ○ V ○ T ○ A ○ P Excle You c Mans Spec Adva F this are re	Exclu Exc File CA	sions Iusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	s s	Ca		×	th
Kas → Type > V > Type P Exclt You c Mans Speci Adva If this are n ■ E Adva Speci	Exclu Exc File CA	sions Iusions e or folder Users\IranSetup\Des	ktop\Crack	Object	Add Protection component All	s s	Ca		×	th

حالا بر روی Specify trusted applications کلیک کنید و بر روی دکمهی Add کلیک نمائید و مسیر فایل مورد نظر خود را که میخواهید اعتمادسازی کنید به آنتیویروس معرفی نمائید:

0	Kaspersky Internet Security	?	_	×
$\leftarrow$	Threats and Exclusions settings			
т	ypes of detected objects			
D	etection of the following types of objects is enabled:			
	<ul> <li>Viruses and worms</li> <li>Trojans (including ransonware) and malicious tools</li> <li>Adware and auto-dialers</li> <li>Packed objects whose packing may be used to protect malicious code</li> </ul>			
	Detect other software that can be used by criminals to damage your computer or personal data For example, programs for remote control.	9		
E	xclusions			
Y	ou can add exclusions and trusted applications whose activity will not be controlled.			
N	lanage exclusions			
5	pecify trusted applications			
A	dvanced Disinfection			
lf a	this check box is selected, a special procedure is applied for extensive disinfection against malicic re running on the computer (Advanced Disinfection technology).	us pro	ograms t	hat
	Enable Advanced Disinfection technology			
4	Advanced Disinfection requires considerable computer resources. Running Advanced Disinfection can slow dow performance of the computer.	vn the o	overall	
ø	Other products My Kaspersky Lice	nse: 89	days rem	aining



Application	Vendor	File name
<ul> <li>Information not available</li> </ul>		
System	Information not available	System
<ul> <li>AO Kaspersky Lab</li> </ul>		
🤗 Kaspersky Anti-Virus	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
🔮 Kaspersky Anti-Virus	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
🤡 Kaspersky Upgrade Launcher	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
📧 Light Plugin Extension Registrar	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
Kaspersky Protection plugins	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
Kaspersky Protection plugins	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
🗟 Kaspersky Anti-Virus Task Scheduler Ha	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
Kaspersky OfficeAntivirus Component	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
Kaspersky OfficeAntivirus Component	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
Kaspersky AntiMalwareProvider Comp	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
Kaspersky AntiMalwareProvider Comp	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka
Kaspersky Anti-Virus Mail Checker Outl.	AO Kaspersky Lab	C:\Program Files (x86)\Kaspersky Lab\Ka



	usted applications	-	×	]
(as	Exclusions for application		0	×
	Win32 Cabinet Self-Extractor			
	C:\Users\IranSetup\Desktop\Crack.EXE			
Γ	Do not scan files before opening			
	Do not monitor application activity			
	Do not inherit restrictions from the (application's) parent process			
	Do not monitor the activity of child applications			
	A ply exclusion recursively			
	Allow Interaction with the Kaspersky Internet Security interface			
	Do not scan all traffic ~			
	Only for specified IP addresses:			
	For example: 123 123 0.1 192 168 0.1			
	Only for specified ports.			
	For example: 80, 100-150			that
<b>Va</b> nis ru	For example: 80, 100-150			that
ra is ru E <b>e i i</b>	For example: 80, 100-150 Status:			that
/a is ru E	For example: 80, 100-150 Status:			that
Ĩ	Complete spectred ports. For example: 80, 100-150 Status: ● Active ○ Inactive			that

	Trusted applications	-		×	
🕑 Kas	← Exclusions for application			0	×
÷	Win32 Cabinet Self-Extractor C:\Users\IranSetup\Desktop\Crack.EXE				
Type Detec	<ul> <li>Do not scan files before opening</li> <li>Do not monitor application activity</li> </ul>				
• V • Ti • A • P	Do not inharit restrictions from the (annlication's) narent process     D     Attention:     Isopersky	×			
C D	A Vour confirmation is required to edit application settings.				
You o Mana Speci	Do not prompt for confirmation during the next 30 minutes				
Adva If this	Continue	I			that
are ru	Status:				
E 🛆 A	Active     Inactive				
\$ (	Add	c	ancel		maining

فایل با موفقیت برای هر دو قسمت ، اعتمادسازی شده است. اکنون میتوانید آنتیویروس را فعال کنید و از فایل خود به راحتی استفاده نمائید. چندبار بر روی دکمهی Back کلیک کنید تا به صفحهی نخست آنتیویروس بازگردید:

k	Kaspersky Internet Security	?	_	2
÷	Threats and Exclusions settings			
Ту	pes of detected objects			
De	tection of the following types of objects is enabled:			
0 0 0	<ul> <li>Viruses and worms</li> <li>Trojans (including ransomware) and malicious tools</li> <li>Adware and auto-dialers</li> <li>Packed objects whose packing may be used to protect malicious code</li> </ul>			
~	Detect other software that can be used by criminals to damage your computer or p For example, programs for remote control.	personal data		
Ex	clusions			
You	u can add exclusions and trusted applications whose activity will not be controlled.			
Ma	anage exclusions			
Sp	ecify trusted applications			
Ad	lvanced Disinfection			
lf t are	his check box is selected, a special procedure is applied for extensive disinfection age e running on the computer (Advanced Disinfection technology).	gainst malicious pr	ograms t	that
~	Enable Advanced Disinfection technology			
	Advanced Disinfection requires considerable computer resources. Running Advanced Disinfectio performance of the computer.	n can slow down the	overall	
÷.	5 Other products My Kr	spersby License: 8	dave rem	aainii

برای فعال کردن مجدد آنتیویروس ، بر روی Icon آنتیویروس در کنار ساعت کامپیوتر Right Click کنید و گزینهی Resume protection را انتخاب نمائید:

Protection paused 1 issue, 4 recommendations Details D	Saspersky Internet Security		; – ×	
Image: Scan       Image: Safe Money         Scan       Image: Safe Money         Image: Safe Money       Image: Safe Money	×	Protection paused 1 issue, 4 recommendations Details		
Privacy Protection     Protection for kids     My Kaspersky     Task Manager       Run database update     Safe Money: open website     >       My Kaspersky     My Kaspersky     Tools	Scan	Database Update	Safe Money	
Resume protection	Privacy Protection	Protection for kids	(i) My Kaspersky	Task Manager Run database update Safe Money: open website Tools
More Tools         About           Other products         My Kaspersky         License: 90 days remaining           Exit         Exit	0 0	More Tools Other produc	ts My Kaspersky License: 90 days remaining	Resume protection

آنتیویروس فعال میشود و به رنگ سبز ، تغییر وضعیت میدهد.

این نسخه از آنتیویروس Kaspersky بر روی سیستم عاملهای Bit و Bit-Bit تست شده است.



IranSetup.com – پایگاه آنتیویروس ایران – از ۱۳۸۵

کپیبرداری بدون تغییر در محتویات و نشان IranSetup بلامانع است.